



NOTE: 4" DIAMETER DRAIN PIPE IS PERMITTED WHEN DROP HEIGHT FROM TOP OF TRENCH TO TOP OF PIPE IS GREATER THAN 10". A 6" OR GREATER PIPE IS REQUIRED FOR DROP HEIGHTS LESS THAN 10". DRAIN PIPE SHOULD BE DAYLIGHTED FREQUENTLY TO ALLOW FOR INCREASED AIRFLOW WITHIN THE PIPE.

### **MIRAFI H2Ri INTO EDGE DRAIN**

NOT TO SCALE

**TENCATE**  
GEOSYNTHETICS

365 SOUTH HOLLAND DRIVE  
PENDERGRASS, GEORGIA 30567  
TEL: (706) 693-2226  
WWW.TENCATEGEO.US

NOTE: THE STANDARD DETAILS ILLUSTRATED IN THESE DRAWINGS ARE FOR INFORMATION AND EVALUATION PURPOSES ONLY AND ARE NOT FOR CONSTRUCTION. PROJECT SPECIFIC CALCULATIONS, SHOP DRAWINGS AND SPECIFICATIONS, SIGNED AND SEALED BY A REGISTERED LICENSED ENGINEER, ARE REQUIRED FOR CONSTRUCTION.

#### **H2Ri EDGE DRAIN**

STANDARD DETAIL  
NOT FOR CONSTRUCTION

DATE : 4/6/20

EXHIBIT

**A-1**